

Tech rider

TRANSPORT

- 4 closed pallets 80/120cm, H. 130 cm
- 1 open pallet with long metallic frames. Size 330/80 cm H. 100 cm.
- Total weight: 2200 Kg

INSTALLATION

Setup: 1 day
Dismantling: 4 hours

Manpower

To be provided by the organiser:

Setup:
- 2 persons during 4 hours
Dismantling:
- 2 persons during 3 hours

Installation

Size: see diagram
The installation cannot be exhibited outside. This may be possible for a short period of time in dry weather.
Each machine weighs about 700 Kg. The ground must be stable enough and must not be delicate because of the shocks and the risk of hydraulic leaks.
The exhibition space must be accessible to pallets. A forklift with a 150 cm stroke is required.
For noise reasons the hydraulic power unit must be placed in a separate room. The noise is about 80 Db. The space must be ventilated.
For security reasons, the development area must be marked on the floor.



Equipment provided by the organizer:

Sound:
see diagram
-10 loudspeakers, of the type of L-Acoustics 108 with stands and cabling (see diagram)
- 2 suwoofer with cabling



Electrical connections:
see diagram

Light:
The lighting of the installation is defined on site with the lighting engineer of the event. Minimum lighting: 6-8 PAR Projectors 500 W on the floor.


Dimensions



hydraulic installation
2 options



Electrical installation
Provided by the organizer



Sound installation
Provided by the organizer

